




ISO9001:2000



**THE FOLLOWING ITEMS ARE  
PRODUCED BY OUR OWN FACTORY**  
**下列產品是本公司生產製造**




**YTT-01 兩用兩孔電話接頭壓著鉗**  
**MODULAR CONNECTOR CRIMPING TOOL**




**YTT-01 兩用兩孔電話接頭壓著鉗**  
**MODULAR CONNECTOR CRIMPING TOOL**  
 STRIPPING BLADES & CRIMPING : STEEL  
 BODY : ABS  
 SPECIFICATION : 4P4C, 4P2C  
 6P6C, 6P4C, 6P2C  
 PLUGS

**YTT-02 三用三孔電話接頭壓著鉗**  
**MODULAR CONNECTOR CRIMPING TOOL**




**YTT-02 三用三孔電話接頭壓著鉗**  
**MODULAR CONNECTOR CRIMPING TOOL**  
 STRIPPING BLADES & CRIMPING : STEEL  
 BODY : 30% GLASS FIBRE REINFORCED  
 NYLON 6  
 SPECIFICATION : 4P4C, 4P2C  
 6P6C, 6P4C, 6P2C  
 8P8C, 8P6C, 8P4C, 8P2C  
 PLUGS

**YTT-03 三用兩孔電話接頭壓著鉗**  
**MODULAR CONNECTOR CRIMPING TOOL**




**YTT-03 三用兩孔電話接頭壓著鉗**  
**MODULAR CONNECTOR CRIMPING TOOL**  
 STRIPPING BLADES & CRIMPING : STEEL  
 BODY : 30% GLASS FIBRE REINFORCED  
 NYLON 6  
 WITH OFFSET LATCH (DEC 6P)  
 6P6C, 6P4C  
 10P10C, 10P8C, 10P6C

**YY-78-318 自動調整切斷剝皮鉗(二合一)**  
**SELF-ADJUSTING CUTTER-STRIPPER**



**YY-78-318 自動調整切斷剝皮鉗(二合一)**  
**SELF-ADJUSTING CUTTER-STRIPPER**  
 SUITABLE RANGE : SINGLE OR MULTIPLE CABLES  
 SECTION 0.5mm<sup>2</sup> TO 6mm<sup>2</sup>  
 REMARK : This Tool with Technical Cooperation and  
 Licensed to solely produce in Taiwan by  
 Elcontrol S.P.A. Italy. One Year Life Quaranty  
 Handle in Blue : JIS G3141 SPCC-SD, OILED.  
 Yellow : Nylon w/fibre Stripping & Cutting : JIS G3141 SPCC-SD, OILED.


**YYR-507 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING**



**YYR-507 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**  
 CRIMPING SECTION : SNCM21  
 BODY : IRON  
 PLASTIC GRIP : HARDEN PVC  
 APPLICABLE : (ISO)1.25mm<sup>2</sup>, 2.0mm<sup>2</sup>  
 (AWG)22-16, 16-24


義大利  
 愛爾康公司  
 技術合作  
 授權製造及販賣

**YAC-1 強力壓著電腦接頭鉗(可調式)**  
**COAX CRIMPING TOOL**




**YAC-1 強力壓著電腦接頭鉗(可調式)**  
**COAX CRIMPING TOOL**  
CRIMPING SELTION : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 5.4mm<sup>2</sup>, 6.48mm<sup>2</sup>, 8.2mm<sup>2</sup>  
(AWG) 0.213, 0.255, 0.324

**YAC-3 強力壓著電腦接頭鉗(可調式)**  
**COAX CRIMPING TOOL**




**YAC-3 強力壓著電腦接頭鉗(可調式)**  
**COAX CRIMPING TOOL**  
CRIMPING : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 1.72mm<sup>2</sup>, 2.5mm<sup>2</sup>, 5.4mm<sup>2</sup>  
6.48mm<sup>2</sup>, 8.2mm<sup>2</sup>  
(AWG) 0.068, 0.100, 0.213, 0.255, 0.324

**YAC-7 強力壓著電腦接頭鉗(可調式)**  
**COAX CRIMPING TOOL**




**YAC-7 強力壓著電腦接頭鉗(可調式)**  
**COAX CRIMPING TOOL**  
CRIMPING : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 6.48mm<sup>2</sup>, 5.4mm<sup>2</sup>, 1.72mm<sup>2</sup>  
(AWG) 0.255, 0.213, 0.068

**YAC-4 電腦端子壓著鉗**  
**D-SUB CONTACT CRIMPING TOOL**




**YAC-4 電腦端子壓著鉗**  
**D-SUB CONTACT CRIMPING TOOL**  
CRIMPING : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 0.1-0.25mm<sup>2</sup>  
(AWG) 24-30, AWG 18-22

**YAC-5 歐式端子壓著鉗**  
**CABLE FERRULES CRIMPING TOOL**




**YAC-5 歐式端子壓著鉗**  
**CABLE FERRULES CRIMPING TOOL**  
CRIMPING SELTION : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CONDUCTOR : (ISO) 0.5-0.75mm<sup>2</sup>, 1.0-1.5mm<sup>2</sup>, 2.5mm<sup>2</sup>, 4mm<sup>2</sup>, 6mm<sup>2</sup>  
(AWG) 22-20, 18-16, 16-14, 14-12, 12-10

**YAC-6 歐式端子壓著鉗**  
**CABLE FERRULES CRIMPING TOOL**



**YAC-6 歐式端子壓著鉗**  
**CABLE FERRULES CRIMPING TOOL**  
CRIMPING SELTION : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CONDUCTOR : (ISO) 6mm<sup>2</sup>, 10mm<sup>2</sup>, 16mm<sup>2</sup>  
(AWG) 12-10, 8-6, 6-4


**YYT-21 歐式端子壓著鉗**  
**CRIMPING PLIER FOR CABLE FERRULES**




(壓著) CRIMPER (ISO) (AWG)  
 0.75mm<sup>2</sup> 22-20  
 1.5mm<sup>2</sup> 18-16  
 2.5mm<sup>2</sup> 16-14

(壓著) CRIMPER (ISO) (AWG)  
 4.0mm<sup>2</sup> 14-12  
 6.0mm<sup>2</sup> 12-10  
 10.0mm<sup>2</sup> 10-8

180mm  
 100mm




**YYT-22 歐式端子壓著鉗**  
**CRIMPING PLIER FOR CABLE FERRULES**




(壓著) CRIMPER (ISO) (AWG)  
 0.5mm<sup>2</sup> 24-22  
 0.75mm<sup>2</sup> 22-20  
 1.0mm<sup>2</sup> 20-18  
 1.5mm<sup>2</sup> 18-16  
 2.5mm<sup>2</sup> 16-14

150mm  
 95mm




**YYT-8 強力不絕緣端子壓著鉗**  
**HEAVY DUTY CRIMPING TOOL FOR NON-INSULATED TERMINALS**



(壓著) CRIMPER (AWG) (ISO)  
 22-16 1.5mm<sup>2</sup>  
 16-12 2.5-4.0mm<sup>2</sup>  
 12-10 6.0-8.0mm<sup>2</sup>  
 8-6 10.0mm<sup>2</sup>

PUSH TO RELEASE  
 CLOSE TO RELEASE

266mm  
 66mm




**YYT-21 歐式端子壓著鉗**  
**CRIMPING PLIER FOR CABLE FERRULES**  
 CRIMPING : JIS SNCM21  
 BODY : JIS G4051 S50C  
 PLASTIC GRIP : PVC  
 CRIMPING SIZE : (IOS)0.75mm<sup>2</sup>, 1.5mm<sup>2</sup>, 2.5mm<sup>2</sup>  
 4.0mm<sup>2</sup>, 6.0mm<sup>2</sup>, 10.0mm<sup>2</sup>  
 (AWG)22-20, 18-16, 16-14, 12-10, 10-8

**YYT-22 歐式端子壓著鉗**  
**CRIMPING PLIER FOR CABLE FERRULES**  
 CRIMPING : JIS SNCM21  
 BODY : JIS G4051 S50C  
 PLASTIC GRIP : PVC  
 CRIMPING SIZE : (IOS)0.5mm<sup>2</sup>, 0.75mm<sup>2</sup>, 1.0mm<sup>2</sup>  
 1.5mm<sup>2</sup>, 2.5mm<sup>2</sup>  
 (AWG) 24-22, 22-20, 20-18, 18-16  
 16-12, 12-10

**YYT-8 強力不絕緣端子壓著鉗**  
**HEAVY DUTY CRIMPING TOOL FOR NON - INSULATED TERMINALS**  
 CRIMPING SELTION : JIS SNCM21  
 BODY : JIS G4051 S50C  
 PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
 CRIMPING SIZE : (IOS)1.5mm<sup>2</sup>, 2.5-4.0mm<sup>2</sup>  
 6.0-8.0mm<sup>2</sup>, 10.0mm<sup>2</sup>  
 (AWG)8-6, 6-4


**YYT-1 強力絕緣端子壓著鉗**  
**HEAVY CRIMPING TOOL**




(壓著) CRIMPER (ISO) (AWG)  
 0.5-1.0mm<sup>2</sup> 22-18  
 1.1-2.5mm<sup>2</sup> 16-14  
 4.0-6.0mm<sup>2</sup> 12-10

PUSH TO RELEASE  
 CLOSE TO RELEASE

254mm  
 66mm



**YYT-7 強力絕緣端子壓著鉗(壓力可調式)**  
**HEAVY CRIMPING TOOL**




(壓著) CRIMPER (ISO) (AWG)  
 0.5-1.0mm<sup>2</sup> 22-18  
 1.1-2.5mm<sup>2</sup> 16-14  
 4.0-6.0mm<sup>2</sup> 12-10


(壓力調整) PRESSURE ADJUSTMENT (WITH SIX SECTIONS)

PUSH TO RELEASE  
 CLOSE TO RELEASE

229mm  
 70mm




**YYT-9 強力不絕緣端子壓著鉗**  
**HEAVY DUTY CRIMPING TOOL FOR NON-INSULATED TERMINALS**



(壓著) CRIMPER (AWG) (ISO)  
 8-6 10.0mm<sup>2</sup>  
 6-4 16.0mm<sup>2</sup>

PUSH TO RELEASE  
 CLOSE TO RELEASE

266mm  
 66mm




**YYT-1 強力絕緣端子壓著鉗**  
**HEAVY DUTY CRIMPING TOOL**  
 CRIMPING : JIS SNCM21  
 BODY : JIS G4051 S50C  
 PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
 CRIMPING SIZE : (ISO)0.5-1mm<sup>2</sup>, 1.1-1.5mm<sup>2</sup>  
 4.0-6.0mm<sup>2</sup>  
 (AWG)22-18, 16-14, 12-10

**YYT-7 強力絕緣端子壓著鉗(壓力可調式)**  
**HEAVY DUTY CRIMPING TOOL**  
 CRIMPING : JIS SNCM21  
 BODY : JIS G4051 S50C  
 PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
 CRIMPING SIZE : (ISO)0.5-1.0mm<sup>2</sup>, 1.1-2.5mm<sup>2</sup>  
 4.0-6.0mm<sup>2</sup>  
 (AWG)22-18, 16-14, 12-10


**YYT-9 強力不絕緣端子壓著鉗**  
**HEAVY DUTY CRIMPING TOOL FOR NON - INSULATED TERMINALS**  
 CRIMPING SELTION : JIS SNCM21  
 BODY : JIS G4051 S50C  
 PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
 CRIMPING SIZE : (ISO)10.0mm<sup>2</sup>, 16.0mm<sup>2</sup>  
 (AWG)8-6, 6-4

**YYT-10 兩孔強力不絕緣端子壓著鉗**  
**TAB CONNECTOR CRIMPING TOOL**




(壓著) CRIMPER (ISO) 0.5-1.0mm<sup>2</sup> 1.1-2.5mm<sup>2</sup>  
(壓著) CRIMPER (AWG) 22-18 16-14  
(調整壓力) PRESSURE ADJUSTMENT (WITH SIX SECTIONS)  
PUSH TO RELEASE  
CLOSE TO RELEASE  
76mm  
203mm

**YYT-11 三孔強力不絕緣端子壓著鉗**  
**TAB CONNECTOR CRIMPING TOOL**



(壓著) CRIMPER (ISO) 0.5-1.0mm<sup>2</sup> 1.1-2.5mm<sup>2</sup> 4-6mm<sup>2</sup>  
(壓著) CRIMPER (AWG) 22-18 16-14 12-10  
(調整壓力) PRESSURE ADJUSTMENT (WITH SIX SECTIONS)  
PUSH TO RELEASE  
CLOSE TO RELEASE  
70mm  
229mm

**YYT-12 三孔強力不絕緣端子壓著鉗**  
**TAB CONNECTOR CRIMPING TOOL**




(壓著) CRIMPER (ISO) 1.1-2.5mm<sup>2</sup> 4-6mm<sup>2</sup> 6-8mm<sup>2</sup>  
(壓著) CRIMPER (AWG) 16-14 12-10 8-6  
(調整壓力) PRESSURE ADJUSTMENT (WITH SIX SECTIONS)  
PUSH TO RELEASE  
CLOSE TO RELEASE  
70mm  
229mm

**YYT-10 兩孔強力不絕緣端子壓著鉗**  
**TAB CONNECTOR CRIMPING TOOL**  
CRIMPING SECTION : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 0.5-1.0mm<sup>2</sup>, 1.1-2.5mm<sup>2</sup>  
(AWG) 22-18, 16-14

**YYT-11 三孔強力不絕緣端子壓著鉗**  
**TAB CONNECTOR CRIMPING TOOL**  
CRIMPING SECTION : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 0.5-1.0mm<sup>2</sup>, 1.1-2.5mm<sup>2</sup>  
4.0-6.0mm<sup>2</sup>  
(AWG) 22-18, 16-14, 12-10


**YYT-12 三孔強力不絕緣端子壓著鉗**  
**TAB CONNECTOR CRIMPING TOOL**  
CRIMPING SECTION : JIS SNCM21  
BODY : JIS G4051 S50C  
PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 1.1-2.5mm<sup>2</sup>, 4-6mm<sup>2</sup>,  
8-10mm<sup>2</sup>  
(AWG) 16-14, 12-10, 8-6

**YY-78-319 精密三用不絕緣端子壓著鉗**  
**DELUXE AUTOMATIC CRIMPING TOOL**




(切斷) CUTTER  
(壓著) CRIMPER (ISO) 0.5-1mm<sup>2</sup> 1.5-2.5mm<sup>2</sup> 4-6mm<sup>2</sup>  
(壓著) CRIMPER (AWG) 20-16 16-12 12-10  
(剝皮) STRIPPER  
210mm  
76mm

**YY-78-320 精密三用絕緣端子壓著鉗**  
**DELUXE AUTOMATIC CRIMPING TOOL**



(切斷) CUTTER  
(壓著) CRIMPER (ISO) 0.5-1mm<sup>2</sup> 1.5-2.5mm<sup>2</sup> 4-6mm<sup>2</sup>  
(壓著) CRIMPER (AWG) 20-16 16-12 12-10  
(剝皮) STRIPPER  
210mm  
70mm

**YY-78-331 精密三用絕緣端子壓著鉗**  
**DELUXE AUTOMATIC CRIMPING TOOL**



(切斷) CUTTER  
(壓著) CRIMPER (ISO) 0.5-1mm<sup>2</sup> 1.5-2.5mm<sup>2</sup> 4-6mm<sup>2</sup>  
(壓著) CRIMPER (AWG) 20-16 16-12 12-10  
(剝皮) STRIPPER  
210mm  
65mm

**YY78-319 精密三用不絕緣端子壓著鉗**  
**DELUXE AUTOMATIC CRIMPING TOOL**  
CUTTER & CRIMPING SECTION : JIS SNCM21  
BODY : JIS G3131 SPHC  
CRIMPING SIZE : ISO (METRIC) : 1. 0.5-1mm<sup>2</sup>  
2. 1.5-2.5mm<sup>2</sup>  
3. 4-6mm<sup>2</sup>  
(AWG)20-16, 16-12, 12-10

**YY-78-320 精密三用絕緣端子壓著鉗**  
**DELUXE AUTOMATIC CRIMPING TOOL**  
CUTTER & CRIMPING SECTION : JIS SNCM21  
BODY : JIS G3131 SPHC  
CRIMPING SIZE : RED : 0.5-1mm<sup>2</sup>  
BLUE : 1.5-2.5mm<sup>2</sup>  
YELLOW : 4.0-6.0mm<sup>2</sup>  
(AWG)20-16, 16-12, 12-10

**YY-78-331 精密三用絕緣端子壓著鉗**  
**DELUXE AUTOMATIC CRIMPING TOOL**  
CUTTER & CRIMPING SECTION : JIS SNCM21  
BODY : JIS G3131 SPHC  
CRIMPING SIZE : RED : 0.5-1.0mm<sup>2</sup>  
BLUE : 1.5-2.5mm<sup>2</sup>  
YELLOW : 4.0-6.0mm<sup>2</sup>  
(AWG)20-16, 16-12, 12-10

**YY-503**  
電纜線切斷鉗  
CABLE CUTTER

適用: 銅, 鋁電纜線  
可切斷至22mm<sup>2</sup>



(切斷, 剝皮)  
CUTTER,  
STRIPPER

**YY-504**  
電纜線切斷鉗  
CABLE CUTTER

適用: 銅, 鋁電纜線  
可切斷至38mm<sup>2</sup>




(切斷, 剝皮)  
CUTTER,  
STRIPPER

**YYT-3**



**PC板切斷彎腳鉗**  
CUTTING AND  
BENDING TOOL



**YYT-6**



**槍型緊緊紫線鉗**  
TIE GUN



**YYR-503 / YYR-504** 電纜線切斷鉗

**CABLE CUTTER**

CRIMPING SECTION: CHROMIUM STEEL  
PLASTIC GRIP: SOFT PVC  
CUTTING COPPER AND ALUMINIUM CABLE  
UP TO YYR-503: 22mm<sup>2</sup>  
YYR-504: 38mm<sup>2</sup>

**YYT-3** PC板切斷彎腳鉗

**CUTTING AND BENDING TOOL**

1. EXCLUSIVELY PRODUCE IN TAIWAN WITH TECHNICALITY SUPPLIED AND LICENSED BY ELCONTROL S.P.A. - ITALY  
2. PATENT UNDER APPLICATION  
PLASTIC BODY TYPE SUITABLE FOR CUTTING AND BENDING COMPONENT LEADS WITH NO ADJUSTMENT FROM 0.3mm TO 1.0mm WIRE DIA.

**YYT-6** 槍型緊緊紫線鉗


**TIE GUN**

FUNCTION : TYING AND CUTTING  
INSTRUCTIONS :  
FOR USE : 1. FASTENED THE CABLE BY CABLE TIE  
2. ADJUSTING THE PULLING OF THE TIE GUN  
3. PUT THE END OF THE CABLE TIE IN TIE GUN AND PRESS THE TRIGGER FOR FASTENING THE CABLE TIE AND CUTTING.

**YY-78-321**

**8" E型扣環鉗(直型)**

COMBINATION INTERNAL/EXTERNAL  
RETAING RING PLIERS




8"

**YY-78-323**

**6" E型扣環鉗(直型)**

COMBINATION INTERNAL/EXTERNAL  
RETAING RING PLIERS




6"

**YY-78-322**

**8" E型扣環鉗(彎型)**

COMBINATION INTERNAL/EXTERNAL  
RETAING RING PLIERS



8"

**YY-78-324**

**6" E型扣環鉗(彎型)**

COMBINATION INTERNAL/EXTERNAL  
RETAING RING PLIERS



6"

**YYT-6A**



**紫線鉗組**  
TIE GUN & CABLE TIE



**YY-78-321 / YY-78-322** E型扣環鉗  
**COMBINATION INTERNAL/EXTERNAL  
RETAING RING PLIERS**

USE FOR : AUTOMOTIVE, SPORTS EQUIPMENT,  
HOUSEHOLD FIXTURES, ELECTRONICS  
STRAIGHT TYPE : 8"

**YY-78-323 / YY-78-324** E型扣環鉗  
**COMBINATION INTERNAL/EXTERNAL  
RETAING RING PLIERS**

USE FOR : AUTOMOTIVE, SPORTS EQUIPMENT,  
HOUSEHOLD FIXTURES, ELECTRONICS  
BENT TYPE : 6"

**YYT-6A** 紫線鉗組  
**TIE GUN & CABLE TIE**

FUNCTION : TYING AND CUTTING  
INSTRUCTIONS :  
FOR USE : 1. FASTENED THE CABLE BY CABLE TIE  
2. ADJUSTING THE PULLING OF THE TIE GUN  
3. PUT THE END OF THE CABLE TIE IN TIE GUN AND PRESS THE TRIGGER FOR FASTENING THE CABLE TIE AND CUTTING.

**YJR-508 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**



**YJR-508 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**  
 CRIMPING SECTION : SNCM21  
 BODY : IRON  
 PLASTIC GRIP : HARDEN PVC  
 APPLICABLE : (ISO)1.25mm<sup>2</sup>, 2.0mm<sup>2</sup>, 5.5mm<sup>2</sup>,  
 8.0mm<sup>2</sup>  
 (AWG)22-16,16-14,12-10,8

**YJR-509 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**




**YJR-509 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**  
 CRIMPING SECTION : SNCM21  
 BODY : IRON  
 PLASTIC GRIP : HARDEN PVC  
 APPLICABLE : (ISO)1.25mm<sup>2</sup>, 2.0mm<sup>2</sup>, 5.5mm<sup>2</sup>,  
 8.0mm<sup>2</sup>,14.0mm<sup>2</sup>  
 (AWG)22-16,16-14,12-10,8,6

**YJR-510 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**




**YJR-510 電工用裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**  
 CRIMPING SECTION : SNCM21  
 BODY : IRON  
 PLASTIC GRIP : HARDEN PVC  
 APPLICABLE : (ISO)8.0mm<sup>2</sup>, 10.0mm<sup>2</sup>, 16.0mm<sup>2</sup>,  
 25.0mm<sup>2</sup>  
 (AWG)12-10,8,6,4

**YJR-513 電工用電纜線切斷鉗**  
**CABLE CUTTER**




**YJR-513 電工用電纜線切斷鉗**  
**CABLE CUTTER**  
 CRIMPING SECTION : CHROMIUM STEEL  
 PLASTIC GRIP : SOFT PVC  
 CUTTING COPPER AND ALUMINIUM CABLE  
 UP TO 60mm<sup>2</sup>

**YJR-514 電工用電纜線切斷鉗**  
**CABLE CUTTER**



**YJR-514 電工用電纜線切斷鉗**  
**CABLE CUTTER**  
 CRIMPING SECTION : CHROMIUM STEEL  
 PLASTIC GRIP : SOFT PVC  
 CUTTING COPPER AND ALUMINIUM CABLE  
 UP TO 100mm<sup>2</sup>

**YJR-525 PVC塑膠管切斷鉗**  
**PVC PIPE CUTTER**




**YJR-525 PVC塑膠管切斷鉗**  
**PVC PIPE CUTTER**  
 CUTTER SECTION : SK5  
 BODY : ALUMINIUM  
 PVC PIPE RANGE : OUTSIDE DIAMETER 38mm<sup>2</sup>  
 INSIDS DIAMETER 25mm<sup>2</sup>

**YYP-542 PVC塑膠管切斷鉗**  
**PVC PIPE CUTTER**



**YYP-542 PVC塑膠管切斷鉗**  
**PVC PIPE CUTTER**  
CUTTER SECTION : SK5  
BODY : ALUMINIUM  
PVC PIPE RANGE : OUTSIDE DIAMETER 50mm<sup>2</sup>  
INSIDE DIAMETER 42mm<sup>2</sup>

**YYP-511 重力型裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**




**YYP-511 重力型裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**  
CRIMPING SECTION : SNCM8620  
BODY : MALLEABLE IRON CASTING  
NON-INSULATED RING TERMINAL RANGE : 8, 14, 22, 38, 60, 70, 80, 100mm<sup>2</sup>  
COPPER TUBE TERMINAL RANGE : 10, 16, 25, 35, 50, 70, 95, 120mm<sup>2</sup>

**YYP-512 重力型裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**



**YYP-512 重力型裸端子壓著鉗**  
**COPPER TUBE TERMINAL CRIMPING TOOL**  
CRIMPING SECTION : SNCM8620  
BODY : MALLEABLE IRON CASTING  
NON-INSULATED RING TERMINAL RANGE : 8, 14, 22, 38, 60, 70, 80, 100, 125, 150mm<sup>2</sup>  
COPPER TUBE TERMINAL RANGE : 10, 16, 25, 35, 50, 70, 95, 120, 150mm<sup>2</sup>

**YAC-8 歐式精密端子壓著鉗**  
**CABLE FERRULES CRIMPING TOOL**



**YAC-8 歐式精密端子壓著鉗**  
**CABLE FERRULES CRIMPING TOOL**  
CRIMPING SECTION : JIS SNCM 21  
HANDLE : JIS G4051 S50C PLASTIC GRIP : 30% GLASS FIBRE REINFORCED NYLON 6  
CRIMPING SIZE : (ISO) 0.08-6.0mm<sup>2</sup>  
(AWG) 28-10  
LENGTH : 175mm (7")  
WIDTH : 80mm (3 1/8")

**YYP-505 棘輪式電纜剪**  
**RATCHETING CABLE CUTTER**



**YYP-505 棘輪式電纜剪**  
**RATCHETING CABLE CUTTER**  
CRIMPING SECTION : SCM4  
BODY : IRON  
PLASTIC GRIP : SOFT PVC  
FOR CUTTING COPPER AND ALUMINUM CABLE UP TO 325mm<sup>2</sup>